EUROPEAN POLYMER JOURNAL

Founding Editors: *J. C. Bevington*
M. Stacey†

Editor-in-Chief: *J. V. Dawkins*

Volume Contents and Author Index

VOLUME 31

1995

PERGAMON

EUROPEAN POLYMER JOURNAL

Founding Editors

Professor J. C. BEVINGTON
Professor M. STACEY, F.R.S.*

Editor-in-Chief

Professor J. V. DAWKINS: Department of Chemistry, The University, Loughborough, Leicestershire LE11 3TU, England

Honorary Regional Editors

S. BYWATER: Division of Applied Chemistry, The National Research Council, Ottawa 7, Canada

H. CHERADAME: L.P.C.B., C.N.R.S., B.P. 28, 94320 Thiais, France

P. CORRADINI: Dipartimento di Chimica, Università di Napoli, via Mezzocannone 4, 80134 Napoli, Italy

Honorary Editorial Advisory Board

G. G. CAMERON—Aberdeen, Scotland
J. R. EBDON—Lancaster, England
G. GEUSKENS—Brussels, Belgium
D. J. HOURSTON—Loughborough, England
A. D. JENKINS—Brighton, England
R. S. LEHRLE—Birmingham, England
J. R. MACCALLUM—St Andrews, Scotland
C. PRICE—Manchester, England
D. C. SHERRINGTON—Glasgow, Scotland
C. I. SIMIONESCU—Bucharest, Romania
F. TÜDŐS—Budapest, Hungary
O. VOGL—Amherst, MA, U.S.A.

Publishing, Subscription and Advertising Offices

North America—Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.
Rest of the World—Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England
[*Tel.* Oxford (01865) 843000; *Fax* (01865) 843010]

Production Editor:
Juliet Kahan
e-mail j.kahan@elsevier.co.uk

Frequency: Published Monthly

Subscription Rates

Annual Institutional Subscription Rates 1995: North, Central and South America, US$1267.00; Rest of the World, £850.00. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Back Issues

Back issues of all previously published volumes are available direct from Elsevier Science Offices (Oxford and New York). Complete volumes and single issues can be purchased for 1990–1994. Earlier issues are available in high quality photo-duplicated copies as complete volumes only.

Copyright © 1995 Elsevier Science Ltd

Second class postage paid at NEWARK, NJ. Postmaster send address corrections to *European Polymer Journal*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

LIST OF CONTENTS

NUMBER 1

S. A. M. Ali and D. J. Hourston	1	Thermoplastic interpenetrating polymer networks based on a poly(styrene-*b*-butadiene) copolymer and a poly(styrene-co-sodium methacrylate) ionomer
Ayşegül Acuner Tunca, Okan Sirkecioğlu, Naciye Talinli and Ahmet Akar	9	Condensation polymers from diphenols and glyoxal
Norman S. Allen, Graeme Pullen, Michele Edge, Iain Weddell and Fernando Catalina	15	Photoinitiator properties of 2-substituted amido and acryloxyanthraquinones
Takanori Hayashi, Hirofumi Kawakami, Yasuo Doke, Akira Tsuchida, Yoshihiko Onogi and Masahide Yamamoto	23	Photo-induced phase transition of side chain liquid crystalline copolymers with photochromic group
T. Sato, M. Seno, M. Kobayashi, T. Kohno and H. Tanaka	29	Radical polymerization of vinyl monomers in the presence of ethyl α-benzene- and α-*p*-toluenesulfonylmethylacrylates
Francesco A. Bottino, Giovanna Di Pasquale and Antonino Pollicino	35	Synthesis and characterization of new poly(arylene)ethers containing heterocyclic units—I
Y. T. Yeo, S. Y. Lee and S. H. Goh	39	Miscibility of poly(cyanomethyl methacrylate) and poly(2-cyanoethyl methacrylate) with two hydroxyl-containing polymethacrylates
I. Gyöngyhalmi, T. Földes-Berezsnich and F. Tüdős	45	Kinetics of radical polymerization LVII. Investigation of the effect of molecule inhibitors on the radical polymerization of *p*-methyl styrene (pMS). Aromatic nitro compounds
Raquel Santos Mauler, Griselda B. Galland, Dimitrios Samios and Shinichi Tokumoto	51	Functional group determination in hydroxilated polymers
H. Kuroda and Z. Osawa	57	Synthesis and characterization of macroporous glycidyl methacrylate–divinylbenzene copolymer beads
Paul L. Jackson and Malcolm B. Huglin	63	Use of inverse gas chromatography to measure diffusion coefficients in crosslinked polymers at different temperatures
Takayuki Otsu, Toshiaki Matsunaga, Toru Doi and Akikazu Matsumoto	67	Features of living radical polymerization of vinyl monomers in homogeneous system using *N,N*-diethyldithiocarbamate derivatives as photoiniferters
Päivi Aaltonen and Jukka Seppälä	79	The attempted copolymerization of styrene and ethylene with monocyclopentadienyltitanium trichloride/methylaluminoxane catalyst. Effect of polymerization conditions
Silvia Ioan, Maria Bercea, Catalina Ioan and Bogdan C. Simionescu	85	Solution properties of ultrahigh molecular weight polymers—20. Polymer chain dimensions of poly(methyl methacrylate)
B. Lucas, A. Moliton, B. Guille, G. Widawski et B. François	91	Étude des mécanismes de dopage et d'endommagements dans le polyparaphénylène implanté à l'aide de la conductivité alternative
Short Communication		
J. C. Bevington and T. N. Huckerby	99	A study by ^{15}N-NMR of end-groups formed from azobisisobutyronitrile

NUMBER 2

Jale Hacaloglu and Ahmet M. Önal	103	Thermal analysis of electroinitiated and radiation induced poly(epoxycyclopentanes) and poly(epoxycyclohexanes) by mass spectrometry
L. Fontaine, S. Chairatanathavorn, D. Derouet et J. C. Brosse	109	Fixation de molécules chélatantes sur des polyphosphonates par modification chimique—II*. Hydrolyse des polymères
Akikazu Matsumoto, Kenichi Yamagishi and Takayuki Otsu	121	Propagation and termination rate constants of dialkyl itaconates bearing cyclohexyl-based ester groups in radical polymerization
S. Akker et J. Arman	125	Détermination des propriétés viscoélastiques de polymères chargés à l'aide d'une technique ultrasonore
W. Marconi, A. Martinelli and A. Piozzi	131	Synthesis and characterization of new amphiphilic polyurethane compositions
Bilge (Orhan) Özden and A. T. Florence	135	Synthesis and characterization of some photoresponsive polymers
V. K. Gupta, S. Satish and I. S. Bhardwaj	145	Studies on tetraisobutylaluminoxane as a cocatalyst in a supported titanium system for propylene polymerization
S. Ajitkumar, D. Prasadkumar, S. Kansara and N. K. Patel	149	Viscosity behaviour of poly(2-methoxycyanurate) of bisphenol F
K. K. Chee	155	Dilute-solution viscometric study of polymer–solvent interactions in poly(vinyl chloride)-plasticizer systems
Constantinos D. Diakoumakos and John A. Mikroyannidis	161	Preparation, properties and crosslinking of cyano-substituted polyester, polyurethanes and epoxy resin derived from 1-(2,2-dicyanovinyl)-3,4-dihydroxybenzene
Behrooz Rajabalitabar, Hung Anh Nguyen, Franck J. Chen and Herve Cheradame	173	Synthesis of polymers containing pseudohalide groups by cationic polymerization—II. Polymerization of 2-methylpropene initiated by the system di(1-azido-1-methylethyl)-1,4-benzene titanium tetrachloride
Nihan Nugay and Zuhal Küçükyavuz	183	Dipole moments of poly(methylmethacrylate)–poly(4-vinylpyridine) block copolymers
V. Švorčík, R. Endršt, V. Rybka, E. Arenholz, V. Hnatowicz and F. Černý	189	Nitrogen implantation into polyimide
N. El Moualij and C. Caze	193	Enantioselective addition of diethylzinc to aldehydes catalysed by polymer supported chiral oxazaborolidine
Short Communications		
M. C. Chen, D. J. Hourston and W. B. Sun	199	The morphology and fracture behaviour of a miscible epoxy resin-polyetherimide blend
Jean Dayantis	203	On the entropy of single polymer chains
M. Abdel Azzem	205	Electroactive film of polyaniline substituted with heterocyclic benzothiazole ring

Contents

NUMBER 3

Kazimiera Suchocka-Gałaś	209	A far-infrared study of ionic interactions in ionomers based on styrene–acrylic acid copolymers obtained by copolymerization in emulsion—II
M. Baklouti, R. Chaabouni, M. Fontanille et J-J. Villenave	215	Polymérisation thermique de la 4-méthoxy-phényl éthynyl cétone, modèle de précurseurs de polymères thermostables
B. T. Poh, C. P. Kwok and G. H. Lim	223	Reversion behaviour of epoxidized natural rubber
Christian Pham-Van-Cang, Mitchell A. Winnik, Rosita Dorigo and Sylvie Boileau	227	Energy transfer studies with fluorosiloxanes
Manit Rappon and Kalsom Mohd Ghazalli	233	Photo-induced reaction of dye in polymer media—III. Kinetics of photocolouration of Aberchrome 540 in polymer matrices
Gert O. R. Alberda van Ekenstein and Y. Y. Tan	239	Radical polymerization of p-methacryloyloxy-benzoic acid in DMF and p-dioxane
Hanqiao Feng, Lianfang Shen and Zhiliu Feng	243	Miscibility of homopolymer/random copolymer blends—2. SMA/PMMA blends
C. A. Barson, J. C. Bevington and B. J. Hunt	249	The effects on radical polymerizations of some compounds containing double bonds involving nitrogen
A. S. Angeloni, M. Laus, E. Chiellini, G. Galli and O. Francescangeli	253	Synthesis and liquid-crystalline properties of thermotropic poly(ester-urethane)s
Z. A. M. Ishak and A. A. Bakar	259	An investigation on the potential of rice husk ash as fillers for epoxidized natural rubber (ENR)
I. Janigová and I. Chodák	271	Temperature effect on kinetics of isothermal crystallization of crosslinked filled LDPE—2. Particulate silica with high surface area as a filler
Takao Iijima, Noriyuki Arai, Wakichi Fukuda and Masao Tomoi	275	Toughening of aromatic diamine-cured epoxy resins by poly(ethylene phthalate)s and the related copolyesters
M. Abdel Azzem	285	Formation of a new electroactive film by potential sweep electrolysis of 4-aminoquinaldine
Short Communications		
M. Netopilík and M. Bohdanecký	289	Ubbelohde viscometer modified for foaming solutions of water soluble polymers
V. Massardier, J. C. Beziat and A. Guyot	291	Kinetic study of synthesis of the poly(phenylene vinylene sulfonium) precursor through ^{1}H NMR and u.v. analyses
Berhooz Rajabalitabar, Hung Anh Nguyen and Herve Cheradame	297	Synthesis of polymers containing pseudohalide groups by cationic polymerization—12. Polymerization of 2-methyl-propene initiated by the system di(1-azido-1-methylethyl)-1,4-benzene/boron trichloride
Michel Rouby et Marc J. M. Abadie	301	Étude comparée de la réactivité de quelques nouveaux photoamorceurs radicalaires
G. S. Georgiev and I. G. Dakova	305	Influence of methacrylic acid dimerization on the configurational and compositional triad sequences in methacrylic acid–methyl methacrylate copolymers

Shengyu Feng, Ping Jiang, Shuqi Yu, Shengyou Zhang, Jianhua Chen and Zuodong Du 309 Effects of some phenylethynylsilicon compounds on heat-curable silicone rubber—IV. Tetraphenylethynylsilane

NUMBER 4

B. Boutevin, J. J. Robin et C. Roume 313 Synthèse de résines époxydes tétrafonctionnelles par l'intermediaire de diamines et de l'épichlorhydrine

B. Boutevin et A. El Bachiri 321 Copolymérisation des éthers allyliques à extrémité époxyde avec des monomères porteurs de groupes accepteurs d'électrons. Partie I: copolymérisation de l'éther 3,4-allylépoxypropylique avec des monomères accepteurs d'électrons

A. Benghalem, J. Bouzon and J. M. Vergnaud 327 Absorption–desorption in a sphere with consequent change in dimension, and constant concentration on the surface

Ryuichiro Yoda, Shigeru Komatsuzaki, Eiji Nakanishi and Toshio Hayashi 335 Microheterophase structure of A–B–A type block copolymer consisting of poly(γ-benzyl L-glutamate) as the A component and polyisoprene as the B component

P. V. C. Rao, V. K. Kaushik and I. S. Bhardwaj 341 Microstructural studies on u.v.-degraded poly(vinyl chloride) by nuclear magnetic resonance spectroscopy

A. Lahrouni et J. Arman 347 Etude de mélanges de polyéthylène et de polystyrène par diffraction de rayons X et par densimétrie

Patrick E. Cassidy, Tejraj M. Aminabhavi, V. Sreenivasulu Reddy and John W. Fitch III 353 Polymers derived from 2-phenyl-1,1,1,3,3,3-hexafluoropropan-2-ol and its derivatives

Miroslav Marek Jr, Jaroslav Stehlíček and Danica Doskočilová 363 Synthesis and properties of copolymers consisting of aramide and poly(6-hexanelactam) blocks

M. Abdel Azzem, S. H. El-Hamouly, M. M. Azab and A. A. Hathoot 369 Electropolymerization of N-methacryloyloxy phthalimide monomer using sacrificial nickel anode and characterization of the resulting polymer

K. L. Shantha, Udaya Bala and K. Panduranga Rao 377 Tailor-made chitosans for drug delivery

Emaad T. B. Al-Takrity 383 Synthesis of poly(methacrylic acid) bearing fluorescent and fluorescence-quenching groups

P. Anton and A. Laschewsky 387 Synthesis of polymeric surfactants by radical thiol/en addition reaction

Moriyuki Sato, Tomoaki Kamita, Kazue Nakadera and Ken-ichi Mukaida 395 Thermotropic liquid-crystalline polymers having five-membered heterocycles as mesogens—2. Homo- and copolymers composed of 1,3- or 1,4-phenylenebis(1,3,4-thiadiazole-2,5-diyl) unit

Short Communication
Hiroshi Tanaka 401 ^{13}C NMR spectra and magnetic relaxation times of isotactic polypropylene treated with fuming nitric acid

Announcements I

NUMBER 5

N. Jocheska et G. Petrov 405 Étudé cinetique de copolymérisation de l'acrylonitrile et de l'acetate de vinyle dans un solvant mixte

Guang-Jia Wang and Jan B. F. N. Engberts 409 Synthesis and catalytic properties of hydrophobically modified poly(alkylmethyldiallylammonium chlorides)

A. Sahli, R. Granger and J. M. Vergnaud 419 Modelling the cure of a gelcoat film made of unsaturated polyester

C. Brosse, A. El Hamdaoui, J.-C. Soutif et J.-C. Brosse 425 Synthèse de polyuréthanes utilisables pour des techniques de microencapsulation—I. Modification chimique d'alcool polyvinylique par des isocyanates d'alkyle

D. Ruckert, G. Geuskens, P. Fondu and S. Van Erum 431 Surface modification of polymers—III. Photoinitiated grafting of water soluble vinyl monomers and influence on fibrinogen adsorption

Wolfgang Kern and Klaus Hummel 437 Photoreactive polymers of 4-vinylbenzyl thiocyanate

J. R. Allan, B. R. Carson and S. Levey 445 A study of the performance of some first row transition metal complexes of 2,2′-biquinoline as colourants for poly(vinyl chloride) and polyethylene

Vladimír Hnatowicz, Jiří Kvítek, Vladimír Švorčík and Vladimír Rybka 449 Long term changes of polypropylene implanted with I^+ ions

Toshio Hayashi, Eiji Nakanishi, Yasuko Iizuka, Masanao Oya and Makoto Iwatsuki 453 Preparation and properties of copoly(N-hydroxyalkyl-D,L-glutamine) membranes

L. Mascia, S. H. Pak and G. Caporiccio 459 Properties enhancement of fluorosilicone elastomers with compatibilised crystalline vinylidene fluoride polymers

S. M. Martins-Franchetti and T. D. Z. Atvars 467 Study of low density polyethylene–poly(vinyl chloride) blend secondary relaxations by photoluminescence

I. Campoy, J. M. Arribas, M. A. M. Zaporta, C. Marco, M. A. Gómez and J. G. Fatou 475 Crystallization kinetics of polypropylene–polyamide compatibilized blends

F. C. Loh, K. L. Tan, E. T. Kang, K. G. Neoh and M. Y. Pun 481 Near-u.v. radiation induced surface graft copolymerization of some O_3-pretreated conventional polymer films

Thierry Fargere, Mohamed Abdennadher, Michel Delmas and Bernard Boutevin 489 Determination of peroxides and hydroperoxides with 2,2-diphenyl-1-picrylhydrazyl (DPPH). Application to ozonized ethylene vinyl acetate copolymers (EVA)

Short Communication
Baki Hazer and Aysel Kurt 499 Polymerization kinetics of styrene by oligododecandioyl peroxide, and its use in the preparation of graft copolymers

NUMBER 6

Youn Cheol Kim, Young Chul Lee and In Jae Chung 505 Effects of annealing on the structure formation in the bulk state of thermotropic liquid crystalline polyesteramides with bulky side groups

Contents

S. I. Kuzina, A. I. Mikhailov and V. I. Gol'danskii — 513 Spontaneous formation of free radicals at low temperatures

F. Cazaux and X. Coqueret — 521 Polydimethylsiloxanes with vinyl ether end-groups—I. Synthesis and properties as polymerizable wetting agents

F. Cazaux and X. Coqueret — 527 Polydimethylsiloxanes with vinyl ether end-groups—II. Wetting agents for cationically curable compositions

B. B. Troitskii and L. S. Troitskaya — 533 Mathematical models of the initial stage of the thermal degradation of poly(vinyl chloride)—3. The thermal degradation of poly(vinyl chloride) in the presence of HCl

N. G. Stanojević, L. Katsikas, D. M. Petrović-Djakov, K. Diesner, J. M. Filipović, J. S. Veličković and I. G. Popović — 541 Poly(dialkoxyethyl itaconate)s—I. Some properties of dimethoxyethyl itaconate and its polymer

S. A. Pooley, G. S. Canessa and B. L. Rivas — 547 Spontaneous copolymerization of phthalic anhydride with aziridine or 2-methylaziridine

Tatiana L. Simándi, Antal Rockenbauer and László I. Simándi — 555 Addition of radicals to quinones. ESR study of some radical reactions of 3,3′,5,5′-tetra-*tert*-butylstilbene-4,4′-quinone

Masamitsu Shirai, Yoshiki Matoba and Masahiro Tsunooka — 559 Cation binding properties of polyanions bearing fluorescent crown ether units

K. Aiswarya Kumari, P. B. Sherlymole and K. Sreekumar — 565 Polystyrene supported oximino dithiocarbonic anhydrides: a new class of acyl transfer reagents

Jean Marie Bessiere, Bernard Boutevin et Olivier Loubet — 573 Synthèse et caracterisation d'amorceurs azoiques fluorés. Application a l'étude de la reaction de terminaison de chaine lors de la polymérisation radicalaire du styrène

Carmen del Rio and José Luis Acosta — 581 Extrinsic conducting and superconducting polymer systems—II. Effect of copper and carbon black on the compatibility and the morphology of PVDF/PS blends

Ga-Er Yu, Frank Heatley, Colin Booth and Trevor G. Blease — 589 Anionic copolymerisation of ethylene oxide and propylene oxide. Investigation of double-bond content by NMR spectroscopy

A. P. Kuriakose and G. Rajendran — 595 Rice bran oil as a novel compounding ingredient in sulphur vulcanization of natural rubber

Hamide Ertepinar, Yaşar Gök and Mustafa Küçükislamoğlu — 603 Synthesis and characterizations of new polyamidoximes and their crosslinking by metal ions

NUMBER 7

C. Uriarte, J. Alfageme, A. Etxeberria and J. J. Iruin — 609 Gas chromatographic measurements of solute diffusion in blends of phenoxy and poly(1,4-butylene adipate)

A. Linares and J. L. Acosta — 615 Pyro-piezoelectrics polymers materials—I. Effect of addition of PVA and/or PMMA on overall crystallization kinetics of PVDF from isothermal and non-isothermal data

Marietta Grigorova und Marin Michailov	621	Zu einigen Eigenschaften von ternären Mischungen aus zwei Polyethylenen niedriger Dichte und einem Polyethylen hoher Dichte
M. Benelmostafa, P. Monge et J. Derkaoui	625	Les effets rhéologiques de couplage de chaînes issu du modèle d'échelle
A. V. Shyichuk and V. S. Lutsjak	631	A determination of rates ratio of simultaneous crosslinking and scission from MWD shape
S. H. Hosseini and A. Entezami	635	Synthesis of conducting polypyrrole and polycarbazole containing hydroxamic acid groups
S. Bastida, C. Marieta, J. I. Eguiazábal and J. Nazábal	643	Effects of reprocessing on the nature and properties of SAN
Leslie R. Dix, John R. Ebdon, Nicholas J. Flint, Philip Hodge and Richard O'Dell	647	Chain extension and crosslinking of telechelic oligomers—I. Michael additions of bisamines to bismaleimides and bis(acetylene ketone)s
Leslie R. Dix, John R. Ebdon and Philip Hodge	653	Chain extension and crosslinking of telechelic oligomers—II. Michael additions of bisthiols to bismaleimides, bismaleates and bis(acetylene ketone)s to give linear and crosslinked polymers
Peng Wei Zhu	659	Viscosity study of oligomer-induced shrinking of polystyrene chains in benzene
Fatima Feraz, Assia Siham Hadj Hamou and Said Djadoun	665	Miscibility of poly(styrene-*co*-acrylic acid) with polymethacrylates or poly(methacrylate-*co*-4-vinylpyridine)
Tetsuya Tanigami, Myung H. Cho and Thein Kyu	671	Infrared dichroic studies on orientation of labelled molecules in uniaxially and biaxially drawn gelation crystallized ultrahigh molecular weight polyethylene
Ivo Reetz and Wolfram Schnabel	677	Photolysis of chlorine-substituted polystyrene and poly-α-methylstyrene
Mary E. Austin, W. Ken Busfield and Peter J. Pomery	683	Radiation-induced grafting of allyl alcohol onto oriented high density polyethylene
Piotr Król and Zofia Wietrzyńska-Lalak	689	Study on structure and properties of carbamates as model compounds for urethane polymers

NUMBER 8

Hitoshi Kubota and Shinya Suzuki	701	Comparative examinations of reactivity of grafted celluloses prepared by u.v.- and ceric salt-initiated graftings
Chi Hoon Choi and Byung Kyu Kim	705	Melt blends of polyethylene with a phenoxy
Wen-Yen Chiang and Dong-Meau Chang	709	Preparation and characterization of polyurethanes/allyl novolac resin simultaneous interpenetrating network
B. Tamami and M. A. Karimi Zarchi	715	Polymer supported bromates as new, versatile and efficient oxidizing reagents for various organic compounds

L. H. Gan, K. S. Ooi, S. H. Goh, L. M. Gan and Y. C. Leong	719	Epoxidized esters of palm olein as plasticizers for poly(vinyl chloride)
Mukul Biswas and Anindita Roy	725	O-chloranil initiated polymerization of pyrrole in presence of N-vinylcarbazole and some properties of the polymer
Thierry Galcéra, Alain Fradet and Ernest Maréchal	733	Synthesis and study of thermotropic block copolyesters containing aliphatic unsaturated units
N. Angelova, N. Manolova and I. Rashkov	741	Metal ion complex formation of poly(oxyethylene) with 5-chloro-8-quinolinoxyl end-groups
K. Adjidjonou and C. Caze	749	Asymmetric reduction of acetophenone with chiral polymeric reagents: supported sodium borohydride on chiral amino-alcohol bound to a polymer
Jun Tian, Xiao Lin, Baotong Huang and Jiping Xu	755	Plasma induced grafting of styrene onto nascent polyethylene powder
Constantinos D. Diakoumakos and John A. Mikroyannidis	761	Modified polyisophthalamides bearing furamido pendant groups
Li-Fen Wang, Jen-Feng Kuo and Chuh-Yung Chen	769	Viscoelasticity and stability of nylon 66 Langmuir films
Takao Iijima, Norio Suzuki, Wakichi Fukuda and Masao Tomoi	775	Toughening of aromatic diamine-cured epoxy resins by modification with N-phenylmaleimide-styrene-p-hydroxystyrene terpolymers
Umit Tunca	785	Aqueous polymerization of acrylamide initiated by redox pair: Ce(IV)—azo compounds with methylol functional groups
Mario Gleria, Francesco Minto, Luca Fambri and Alessandro Pegoretti	791	Photochemical behavior of poly(organophosphazenes)—XIII. Sensitized photochemistry of poly [bis(4-benzylphenoxy)phosphazene] in solution and in film
J. Mazan, B. Leclerc, N. Galandrin and G. Couarraze	803	Diffusion of free polydimethylsiloxane chains in polydimethylsiloxane elastomer networks

NUMBER 9

Asfia Qureshi, David H. Solomon and David P. Kelly	809	Investigations into the free radical polymerizations of allyl carbonates—I. The reaction of *t*-butoxyl radical
Futian Liu, Xianda Yu, Liangbo Feng and Shuben Li	819	Preparation of polyethers with viologen moieties and their application to the debromination of diphenyl bromomethane
Shih-Jieh Sun, Hsin-Pei Cheng, Teh-Chou Chang and Chih-Huey Chang	825	Studies on the thermotropic liquid crystalline polycarbonates—V. Synthesis and properties of carbonato side chain liquid crystalline polysiloxanes
Joice P. Mathew and M. Srinivasan	835	Photoelectron spectroscopy (XPS) studies on some palladium catalysts
R. Schifani, G. Spadaro, F. Cassata and A. Valenza	841	Dielectric behaviour of LLDPE/PC blends
A. M. Sarmadi, T. H. Ying and F. Denes	847	HMDSO-plasma modification of polypropylene fabrics

Nadia A. Mohamed	859	Novel wholly aromatic polyamide-hydrazides—IV. Effect of polymers structural compositions on their properties
Moriyuki Sato, Koji Muraki and Ken-ichi Mukaida	867	Synthesis and thermal properties of semi-rigid homo-, co- and terpolycarbonates comprising naphthalene ring
S. L. Bai, V. Djafari, M. Andréani and D. François	875	A comparative study of the mechanical behaviour of an epoxy resin cured by microwaves with one cured thermally
M. Y. A. Fuad, Z. Ismail, Z. A. M. Ishak and A. K. M. Omar	885	Application of rice husk ash as fillers in polypropylene: effect of titanate, zirconate and silane coupling agents
Ignác Capek, Median Riza and Mitsuru Akashi	895	Dispersion copolymerization of polyoxyethylene macromonomer and styrene—2. Effect of initiator type and concentration on the polymerization process
A. Akelah, E. R. Kenawy and D. C. Sherrington	903	Hydrolytic release of herbicides from modified polyamides of tartrate derivatives
Announcement	I	

NUMBER 10

Obituary	iii	
C. Bas, A. C. Grillet, F. Thimon and N. D. Albérola	911	Crystallization kinetics of poly(aryl ether ether ketone): time–temperature–transformation and continuous–cooling–transformation diagrams
Thierry Fargere, Mohamed Abdennadher, Michel Delmas et Bernard Boutevin	923	Synthèse et caractéristiques mécaniques des copolymères d'éthylène et d'acétate de vinyle greffés styrène (EVA-g-S) par la méthode d'ozonisation
C. Brosse, L. Fontaine, J.-C. Soutif et J.-C. Brosse	931	Synthèse de polyuréthanes utilisables pour des techniques de microencapsulation—II. Synthèse de polyuréthanes linéaires
Cherng-ju Kim and Yvonne N. Nujoma	937	Drug release from an erodible drug–polyelectrolyte complex
Yeong-Soon Gal and Sam-Kwon Choi	941	Cyclopolymerization of dipropargylamine and dipropargylammonium bromide by transition metal catalysts
Zhang Linxi	947	Effect of side groups on dynamics of polymer chains
B. Košíková, A. Revajová and V. Demianová	953	The effect of adding lignin on modification of surface properties of polypropylene
Hima Varghese, S. S. Bhagawan, S. Someswara Rao and Sabu Thomas	957	Morphology, mechanical and viscoelastic behaviour of blends of nitrile rubber and ethylene–vinyl acetate copolymer
S. Kulanthaisami, D. Mangalaraj and Sa. K. Narayandass	969	Conduction studies on polyvinyl alcohol films
Dimitrios Papanagopoulos and Anastasios Dondos	977	Study of poly(2-vinyl pyridine)-poly(methyl methacrylate) graft copolymers in selective solvents: micelle formation

Contents

William Henderson, Helen H. Petach and Lea S. Bonnington	981	Poly(phosphine oxides) as supports for enzyme immobilisation
Georgeta Caraculacu, Constantin Gaina, Adrian A. Caraculacu and Gheorghe Stoica	987	Synthesis of metal containing polyureas with a parabanic structure
M. V. Kozlovsky, S. A. Pikin and W. Haase	993	Voltage-dependent phase transition and pyroelectric effect in a new chiral smectic polymer
Jin-San Yoon	999	Reactivity ratios of ethylene/α-olefin in gas phase reactors
Satoshi Ishikawa	1005	Microphase separation and crystallization of crystalline–amorphous type block copolymer—8. Calculation of folding number in the crystalline domain
Ruiyun Zhang, Xiaolie Luo and Dezhu Ma	1011	Miscibility of polyhydroxy ether of bisphenol-A with ethylene terephthalate–caprolactone copolyesters
Ismail Cakmak	1015	Polymerization of methyl methacrylate initiated by the redox system H_2O_2-poly(ethylene oxide) with xanthate groups
Short Communication		
F. Szöcs, O. Šauša, K. Krištiaková, J. Krištiak and M. Klimová	1019	Influence of high pressure annealing on free volume in polycarbonate studied by positron annihilation

NUMBER 11

M. E. Frigione, L. Mascia and D. Acierno	1021	Oligomeric and polymeric modifiers for toughening of epoxy resins
P. Beyer and E. Nordmeier	1031	Some phenomena of counterion condensation on dextran sulphate
Halina Kaczmarek	1037	Photodegradation of polystyrene and poly(vinyl acetate) blends—I. Irradiation of PS/PVAc blends by polychromatic light
Marcel Popa, Cleopatra Vasiliu Oprea et Gérard Riess	1043	Étude de la degradation mécanochimique du polybutadiène en solution par agitation ultrarapide
H. Ismail, P. K. Freakley and E. Sheng	1049	The effect of carbon black particle size on multifunctional additive–carbon black interaction
Constantinos D. Diakoumakos, John A. Mikroyannidis, Christoforos A. Krontiras, Michael N. Pisanias and Stavroula N. Georga	1057	Thermosetting resins prepared from the reactions of diaminomaleonitrile with 4,4′-bismaleimidediphenylmethane and electrical conductivity measurements of the resulting materials following pyrolysis
Joseph Denamganai, François Schue, Joseph Sledz and Jean Molenat	1067	Desorption followed with radioisotopes and membrane potentials in perfluorinated vinyl4pyridine and quaternary ammonium membranes
Donghwan Cho	1075	Isothermal crystallization behaviors and kinetics of an end-crystallizable diblock copolymer
Bernard Martel, Yahya Leckchiri, Alain Pollet and Michel Morcellet	1083	Cyclodextrin–poly(vinylamine) systems—I. Synthesis, characterization and conformational properties

Contents

Bernard Martel and Michel Morcellet	1089	Cyclodextrin–poly(vinylamine) systems—II. Catalytic hydrolysis of *p*-nitrophenyl acetate
M. Kumakura	1095	Preparation of hydrophilic monodisperse microspheres by radiation precipitation polymerization and its characteristics
Petr Kalenda	1099	Ferrocene and some of its derivatives used as accelerators of curing reactions in unsaturated polyester resins
Enrique López Madruga and Marta Fernández-Garcia	1103	High conversion copolymerization of di-*n*-butyl itaconate with methyl methacrylate in benzene solution
H. Ismail, P. K. Freakley, I. Sutherland and E. Sheng	1109	Effects of multifunctional additive on mechanical properties of silica filled natural rubber compound
M. Camail, H. Essaoudi, A. Margaillan et J. L. Vernet	1119	Copolymérisation radicalaire de méthacrylates de 2-aminoéthyle avec le méthacrylate de méthyle
B. Boutevin, L. Abdellah and M. N. Dinia	1127	Synthesis and applications of photocrosslinkable polydimethyl siloxanes—Part III. Synthesis of poly-siloxanes with perfluorinated and acrylated urethane linked pendant groups
Alfonso Escudero, Ramón Vilar, Roberto Salcedo and Takeshi Ogawa	1135	Effects of substituent groups and substituted benzenes on the polymerization of phenylacetylenes initiated by di-μ-pentafluorothiophenolate bis(1,5-cyclooctadiene) rhodium(I)
Marie-Florence Grenier-Loustalot, Christine Lartigau and Philippe Grenier	1139	A study of the mechanisms and kinetics of the molten state reaction of non-catalyzed cyanate and epoxy–cyanate systems

NUMBER 12

C. Decker et B. Elzaouk	1155	Photopolymérisation de monomères multifonctionnels—VII. Evaluation des constantes de vitesse de propagation et de terminaison
Xiaoxing Dong, Georges Geuskens and Charles A. Wilkie	1165	Graft copolymers of methacrylic acid and SBS and K-resin by the anthracene photosensitized formation of hydroperoxides
J. Balagué, B. Boutevin et B. Guyot	1169	Étude de la télomérisation par catalyse rédox de l'acide méthacrylique avec le tétrachlorure de carbone
Halina Kaczmarek	1175	Photodegradation of polystyrene and poly(vinyl acetate) blends—II. Irradiation of PS/PVAc blends by fluorescent lamp
Manit Rappon and Kalsom Mohd Ghazalli	1185	Photo-induced reaction of dye in polymer media—IV. Kinetics of photoisomerization Z→E of Aberchrome 540 in polymer matrices
Ping Xu and James E. Mark	1191	Extraction studies on the nature of the bonding in filler-reinforced elastomers
R. W. Richards and G. Welsh	1197	Deformation of matrix macromolecules in a uniaxially extended styrene–isoprene–styrene linear triblock copolymer

Contents

M. Abdel-Azzem, S. H. El-Hamouly and A. A. Hathoot	1207	Electrochemical copolymerization of 2-(4-amino phenyl)-6-methyl benzothiazole and aniline
Graham R. Cutting and Brian J. Tabner	1215	Reaction temperature profiles and radical concentration measurements on batch emulsion copolymerizations of methyl methacrylate and butyl acrylate
Achala Danait and Dinkar D. Deshpande	1221	A novel method for determination of polymer–polymer miscibility by viscometry
S. Turri, M. Scicchitano, G. Gianotti and C. Tonelli	1227	Concentrated solutions of perfluoropolyoxyalkylene oligomers—I. The influence of solvent
S. Turri, M. Scicchitano, G. Gianotti and C. Tonelli	1235	Concentrated solutions of perfluoropolyoxyalkylene oligomers—II. Viscosity and density in polar solvents
F. M. B. Coutinho, C. C. R. Barbosa and S. M. Rezende	1243	Copolymers based on styrene and divinylbenzene synthesized in the presence of DEHPA—I. Structural characterization
Pedro Ivo C. Guimarães, Aguinaldo P. Monteiro and José Luiz Mazzei	1251	Study on cationic polymerization of 2-phenyl-2-oxazoline by dialkyl sulphates
Oya Şanlı, Mehlika Pulat and Duygu Kısakürek	1255	Synthesis of poly(dihalophenylene oxide)s by solid state thermal decomposition of bis(4-chloro-2,6-dibromo phenoxo) ethylenediamine copper (II) complex
Johannis Simitzis, Ekaterina Terlemesian and Ivan Mladenov	1261	Utilization of waste PAN fibers as adsorbents by chemical and thermal modification
Ignác Capek and Pavol Potisk	1269	Microemulsion and emulsion polymerization of butyl acrylate—I. Effect of the initiator type and temperature
Bernard Boutevin et Fouad Malek	1279	Synthèse et caractérisation des polymères porteurs de groupements pyrazoles—III: Les derives vinyliques